

09/30/00

09/30/00

09-01-00

A

HEWLETT-PACKARD COMPANY  
Intellectual Property Administration  
P.O. Box 272400  
Fort Collins, Colorado 80527-2400

PATENT APPLICATION

ATTORNEY DOCKET NO. 10003908-1

IN THE U.S. PATENT AND TRADEMARK OFFICE  
Patent Application Transmittal Letter

ASSISTANT COMMISSIONER FOR PATENTS  
Washington, D.C. 20231

Sir:

Transmitted herewith for filing under 37 CFR 1.53(b) is a(n): ☒ Utility ☐ Design☐ Original patent application,☐ continuation-in-part application

PRO  
09/30/00  
08/30/00

INVENTOR(S): James S. Boyce

TITLE: Delayed Printing of Print Jobs Requiring Special Resources

Enclosed are:

☒ The Declaration and Power of Attorney. ☒ signed ☐ unsigned or partially signed☒ 2 sheets of drawings (one set) ☐ Associate Power of Attorney☐ Form PTO-1449 ☐ Information Disclosure Statement and Form PTO-1449☐ Priority document(s) ☐ (Other) (fee \$ )

CLAIMS AS FILED BY OTHER THAN A SMALL ENTITY				
(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) TOTALS
TOTAL CLAIMS	20 — 20	0	X \$18	\$ 0
INDEPENDENT CLAIMS	3 — 3	0	X \$78	\$ 0
ANY MULTIPLE DEPENDENT CLAIMS	0		\$260	\$ 0
BASIC FEE: Design (\$310.00 ); Utility (\$690.00 )				\$ 690
TOTAL FILING FEE				\$ 690
OTHER FEES				\$
TOTAL CHARGES TO DEPOSIT ACCOUNT				\$ 690

Charge \$ 690 to Deposit Account 08-2025. At any time during the pendency of this application, please charge any fees required or credit any over payment to Deposit Account 08-2025 pursuant to 37 CFR 1.25. Additionally please charge any fees to Deposit Account 08-2025 under 37 CFR 1.16, 1.17, 1.19, 1.20 and 1.21. A duplicate copy of this sheet is enclosed.

"Express Mail" label no. EL562392345US

Date of Deposit August 30, 2000

I hereby certify that this is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231

By

Typed Name: Laurie Lamoureux

Respectfully submitted,

James S. Boyce

By

Mark G. Pannell

Attorney/Agent for Applicant(s)

Reg. No. 40,761

Date: August 30, 2000

Telephone No.: (719) 260-7900

"Express Mail" mailing label number: EL562392345US

Date of Deposit: August 30, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" services under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Typed Name of Person Mailing Paper or Fee: Laurie Lamoureux

Signature: 

**PATENT APPLICATION**  
**DOCKET NO. 10003908-1**

**DELAYED PRINTING OF PRINT JOBS REQUIRING SPECIAL RESOURCES**

**INVENTOR**  
**James S. Boyce**

## DELAYED PRINTING OF PRINT JOBS REQUIRING SPECIAL RESOURCES

### FIELD OF THE INVENTION

- 5 This invention relates in general to printing technology and, more particularly, to delaying a print job that requires user intervention to allow other print jobs to be processed.

### BACKGROUND OF THE INVENTION

- 10 Occasionally, user or operator intervention is necessary for completing a print job. For example, a print job may call for a size or type of media that is not available to the printer without user intervention. The media may be unavailable because it is not typically loaded into the printer or because the printer has depleted its supply of the media.
- 15 Conventionally, when user intervention is required for completion of a print job, the printer either waits for the intervention without allowing other print jobs to be processed or else the printer flushes the print job requiring intervention so that other print jobs may be processed. Neither of these solutions is adequate. Requiring all jobs to wait until the required intervention
- 20 has been satisfied causes unnecessary delays for other jobs where no intervention is required. Flushing a print job to allow other jobs unnecessarily requires the user to reprint the job requiring intervention.

- Printers have recently been developed that are able to store or hold print jobs for later printing. These printers are often used to create multiple copies of
- 25 a document. Typically, a job is printed and held. A user or operator may later retrieve the print job and reprint it. Alternatively, the printer may be made to hold the print job without printing an original first.

### SUMMARY OF THE INVENTION

- 30 According to principles of the present invention, a print job requiring unavailable resources is held until the deficiency is remedied. The resource

5 According to further principles of the present invention, responsive to the resource deficiency exposed by the comparison, instructions for remedying the resource deficiency are created and the instructions are provided to a remedy provider. The instructions are provided to the remedy provider either by printing the instructions or by displaying the instructions on the printer. The remedy  
10 provider remedies the resource deficiency and the printer processes the print job.

According to further principles of the present invention, either the remedy  
15 provider remedies the deficiency and commands the printer to process the print  
job or the resource deficiency is communicated to the printer, the resource  
deficiency is monitored for a remedy, and responsive to the remedy of the  
resource deficiency, the print job is processed.

Figure 1 is a block diagram representing one embodiment of the system of the present invention for holding a print job requiring unavailable resources.

25

Illustrated in Figure 1 is a system 2, having a client 4, a printer 6, and a communications path 8. Communication path 8 is any path for providing communication between client 4 and printer 6. For example, communication path 8 may be a direct connection or a network.

Client 4 is any device or system, such as a specific or general purpose computer, that includes a means, such as a processor, for processing executable code. Client 4 includes an application 10, a driver 12, a storage device 14, and a communications interface 16. Application 10 is any user application that uses device drivers 12 for interfacing with printer 6. Device drivers 12 are executable code for interfacing between applications 10 and printer 6.

Storage device 14 is any device for storing data or executable code. Storage device 14 may also be a program storage device tangibly embodying a program, applet, or instructions executable by client 4 for performing the method steps of the present invention executable by client 4. Storage device 14 may be any type of storage media such as magnetic, optical, or electronic storage media. Stored within storage device 14 may be application 10 and device driver 12.

Communication interface 16 is any means or interface for allowing client 4 to communicate over communications path 8. For example, communication interface 16 may be a direct connection interface or a network interface.

Printer 6 is any device or system for outputting a print job onto print media. Printer 6 includes storage device 18, a controller 20, an imaging subsystem 22, a media input tray 24, and a communication interface 26.

Storage device 18 is any device for storing a print job. Storage device 18 may be any type of storage media such as magnetic, optical, or electronic storage media.

Controller 20 is any device for controlling print jobs within printer 6. For example, controller 20 may include a processor or hardwired logic. Imaging subsystem 22 is any system or device controlled by controller 20 for outputting a print job onto print media. Media input tray 24 is any single or multiple sheet media feeder for feeding to printer 6 to output a print job.

Communication interface 26 is any means or interface for allowing printer 6 to communicate over communication path 8. For example, communication interface 26 may be a direct connection interface or a network interface.

Figure 2 is a flow chart representing the steps of one embodiment of the present invention. Although the steps represented in Figure 2 are presented in a specific order, the present invention encompasses variations in the order of steps. Furthermore, additional steps may be executed between the steps illustrated in Figure 2 without departing from the scope of the present invention.

A print job is generated 28 by driver 12. If necessary, application 10 first launches driver 12 and delivers to driver 12 information or data necessary for creating the print job. The print job is evaluated 30 to learn the resource requirements of the print job. Either driver 12 or other software (not shown) evaluates 30 the print job. Examples of resource requirements include print media and printer 6 configurations.

The resource requirements of the print job are compared 32 to the known available resources of printer 6. It may be desirable to assume that printer 6 has only standard media type and a basic configuration. This assumption accounts for changes that may occur to the printer between the time of the comparison and the time the print job is output by printer 6. Alternatively, printer 6 may be polled to determine its available resources. Many types of printers 6 may be polled using simple network management protocol (SNMP) commands.

If all of the required resources are available in printer 6, the print job is processed in a conventional manner. If one or more of the required resources is deficient in printer 6, instructions are created 36 for remedying the deficiency.

The instructions are provided 38 to a remedy provider. Examples of a remedy provider include a user, an operator, or an automated remedy provider. The instructions may be provided to the remedy provider in any manner in which the remedy provider may understand the instructions. For example, the instructions may be printed on print media or displayed by printer 6 for a user or

operator to read. The instructions may also be communicated to an automated remedy provider in machine readable form.

One example of a remedy that may be required is making a particular media type available to printer 6. For example, placing A4 sized transparency in a particular media input tray 26. Another example of a remedy that may be required is changing the configuration of printer 6, for example, setting printer 6 for duplex printing or staple finishing.

The print job is communicated 40 to printer 6 with a command to hold the print job in storage device 18 until called. Other print jobs may be processed on printer 6 while the print job is held.

When the deficiency is remedied, the print job is called 42 by controller 20 and processed by imaging subsystem 22. The job is either called 42 manually by the remedy provider or alternatively called 42 by controller 20 from storage device 18. For controller 20 to call 42 the print job, the resource deficiency is communicated to printer 6. Controller 20 monitors the resource deficiency for a remedy and responsive to the remedy of the resource deficiency, calls 42 the print job from storage device 18 for processing.

The foregoing description is only illustrative of the invention. Various alternatives and modifications can be devised by those skilled in the art without departing from the invention. Accordingly, the present invention embraces all such alternatives, modifications, and variances that fall within the scope of the appended claims.

CLAIMS

What is claimed is:

- 1           1.     A method for holding a print job requiring unavailable resources,  
2     the method comprising:  
3               (a)     evaluating the resource requirements of the print job;  
4               (b)     comparing the resource requirements to known available  
5     resources; and,  
6               (c)     responsive to a resource deficiency exposed by the  
7     comparison, communicating the print job to a printer with a command to hold  
8     the print job.
- 1           2.     The method of claim 1 further including responsive to the resource  
2     deficiency exposed by the comparison:  
3               (a)     creating instructions for remedying the resource deficiency;  
4     and,  
5               (b)     providing the instructions to a remedy provider.
- 1           3.     The method of claim 2 wherein providing the instructions to the  
2     remedy provider includes printing the instructions.
- 1           4.     The method of claim 2 wherein providing the instructions to the  
2     remedy provider includes displaying the instructions on the printer.
- 1           5.     The method of claim 2 further including:  
2               (a)     the remedy provider remedying the resource deficiency;  
3     and,  
4               (b)     the printer processing the print job.



1           6.     The method of claim 1 wherein comparing the resource  
2 requirements to known available resources includes:  
3           (a)     discovering available resources for the printer; and,  
4           (b)     comparing the resource requirements to the discovered  
5 available resources.

1           7.     The method of claim 1 further including:  
2           (a)     communicating to the printer the resource deficiency;  
3           (b)     monitoring the resource deficiency for a remedy; and,  
4           (b)     responsive to the remedy of the resource deficiency,  
5 processing the print job.

1           8.     A system for holding a print job requiring unavailable resources,  
2 the system comprising:  
3           (a)     a print driver configured to evaluate the resource  
4 requirements of the print job;  
5           (b)     the print driver further configured to compare the resource  
6 requirements to known available resources; and,  
7           (c)     the print driver further configured to respond to a resource  
8 deficiency exposed by the comparison, by communicating the print job to a  
9 printer with a command to hold the print job.

1           9.     The system of claim 8 further including a remedy provider and  
2 wherein the print driver is further configured to respond to a resource deficiency  
3 exposed by the comparison by creating instructions for remedying the resource  
4 deficiency and providing the instructions to a remedy provider.

1           10.    The system of claim 9 wherein the print driver configured to  
2 respond to a resource deficiency exposed by the comparison by providing the  
3 instructions to a remedy provider includes the print driver configured to respond

4 to a resource deficiency exposed by the comparison by communicating the  
5 instructions to the printer for printing.

1 11. The system of claim 9 wherein the print driver configured to  
2 respond to a resource deficiency exposed by the comparison by providing the  
3 instructions to a remedy provider includes the print driver configured to respond  
4 to a resource deficiency exposed by the comparison by communicating the  
5 instructions to the printer for display on the printer.

1 12. The system of claim 9 further including:  
2 (a) means for the remedy provider remedying the resource  
3 deficiency; and,  
4 (b) the printer configured to process the print job.

1 13. The system of claim 8 wherein the print driver further configured  
2 to compare the resource requirements to known available resources includes:  
3 (a) the print driver further configured to discover available  
4 resources for the printer; and,  
5 (b) the print driver further configured to compare the resource  
6 requirements to discovered available resources.

1 14. The system of claim 8 further including:  
2 (a) the driver configured to communicate the resource  
3 deficiency to the printer;  
4 (b) the printer configured to monitor the resource deficiency for  
5 a remedy; and,  
6 (c) the printer configured to respond to the remedy of the  
7 resource deficiency by processing the print job.

1           15. A program storage device readable by a computer, tangibly  
2     embodying a program, applet, or instructions executable by the computer to  
3     perform method steps for holding a print job requiring unavailable resources, the  
4     method steps comprising:  
5           (a) evaluating the resource requirements of the print job;  
6           (b) comparing the resource requirements to known available  
7     resources; and,  
8           (c) responsive to a resource deficiency exposed by the  
9     comparison, communicating the print job to a printer with a command to hold  
10    the print job.

1           16. The program storage device of claim 15 wherein the method steps  
2     further include responsive to the resource deficiency exposed by the  
3     comparison:  
4           (a) creating instructions for remedying the resource deficiency;  
5     and,  
6           (b) providing the instructions to a remedy provider.

1           17. The program storage device of claim 16 wherein the method step  
2     of providing the instructions to the remedy provider includes printing the  
3     instructions.

1           18. The program storage device of claim 16 wherein the method step  
2     of providing the instructions to the remedy provider includes displaying the  
3     instructions on the printer.

1           19. The program storage device of claim 15 wherein the method step  
2     of comparing the resource requirements to known available resources includes:  
3           (a) discovering available resources for the printer; and,

4 (b) comparing the resource requirements to the discovered  
5 available resources.

1 20. The program storage device of claim 15 wherein the method steps  
2 further include communicating to the printer the resource deficiency;

0  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25

ABSTRACT

A print job requiring unavailable resources is held until the deficiency is remedied. The resource requirements of the print job are evaluated. The resource requirements are compared to known available resources. Either  
5 standard resources are assumed or available resources for the printer are discovered. Responsive to a resource deficiency exposed by the comparison, the print job is communicated to a printer with a command to hold the print job. Also responsive to the resource deficiency exposed by the comparison, instructions for remedying the resource deficiency are created and the  
10 instructions are provided to a remedy provider. The instructions are provided to the remedy provider either by printing the instructions or by displaying the instructions on the printer. The remedy provider remedies the resource deficiency and the printer processes the print job. Alternatively, the resource deficiency is communicated to the printer, the resource deficiency is monitored  
15 for a remedy, and responsive to the remedy of the resource deficiency, the print job is processed.




FIG. 1




FIG. 2

**DECLARATION AND POWER OF ATTORNEY  
FOR PATENT APPLICATION**ATTORNEY DOCKET NO. 10003908-1

As a below named inventor, I hereby declare that:

My residence/post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**Delayed Printing Of Print Jobs Requiring Special Resources**

the specification of which is attached hereto unless the following box is checked:

( ) was filed on \_\_\_\_\_ as US Application Serial No. or PCT International Application Number \_\_\_\_\_ and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understood the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above. I acknowledge the duty to disclose all information which is material to patentability as defined in 37 CFR 1.56.

**Foreign Application(s) and/or Claim of Foreign Priority**

I hereby claim foreign priority benefits under Title 35, United States Code Section 119 of any foreign application(s) for patent or inventor(s) certificate listed below and have also identified below any foreign application for patent or inventor(s) certificate having a filing date before that of the application on which priority is claimed:

COUNTRY	APPLICATION NUMBER	DATE FILED	PRIORITY CLAIMED UNDER 35 U.S.C. 119
			YES: _____ NO: _____
			YES: _____ NO: _____

**Provisional Application**

I hereby claim the benefit under Title 35, United States Code Section 119(e) of any United States provisional application(s) listed below:

APPLICATION SERIAL NUMBER	FILING DATE

**U. S. Priority Claim**

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NUMBER	FILING DATE	STATUS (patented/pending/abandoned)

**POWER OF ATTORNEY:**

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Customer Number 022879Place Customer  
Number Bar Code  
Label hereSend Correspondence to:  
HEWLETT-PACKARD COMPANY  
Intellectual Property Administration  
P.O. Box 272400  
Fort Collins, Colorado 80527-2400**Direct Telephone Calls To:**Lane R. Simmons  
(208) 396-3633

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Inventor: James S. BoyceCitizenship: USResidence: Meridian, IDPost Office Address: 11307 Chinden Blvd., Boise, ID 83714Inventor's Signature  
*James S. Boyce*

Date

8/28/00